


Hydrogen Sulfide H₂S No. H-10-103-30



	Extended Range	Standard Range	Extended Range
Range (ppmv)	50 - 1000	100 - 2000	200 - 4000
No. of Pump Strokes	2	1	0.5
Sample Volume (mL)	200	100	50
Sample Time (min)	2 x 2	2	1.5
Correction Factor	0.5	1	2

Precision (Relative Standard Deviation)*: $\leq \pm 10\%$

Linearity with No. of Pump Strokes: $r^2 = 0.999$

Humidity: No effect 5 - 85% RH

Temperature Range: 0 - 40°C (32 - 104°F)

Temp (°C/°F)	0/32	10/50	25/77	40/104
Corr. Factor	0.88	0.93	1.0	1.2

Storage Life: 2 years in darkness at 5 - 25°C (40 - 77°F). Refrigeration preferred.

Color Change: White → Black

Reaction Principle: $\text{H}_2\text{S} + \text{Pb}(\text{OAc})_2 \rightarrow \text{PbS} + 2\text{HOAc}$

Cross-sensitivity: Substance	Concentration (ppmv)	Apparent Reading*
CO	250	0
CH ₄	25000	0
NH ₃	300	0
NO ₂	200	0 [†]
SO ₂	20	0
CS ₂	100	0
Hexane	100	0
Isobutylene	100	0
Toluene	100	0

* Data based on Honeywell pumps and tubes used in standard range.

[†] Interferes in mixtures; may result in transient brown H₂S response.

Other Possible Interferences: No response to mercaptans and sulfides.